·	Application No.	Applicant(s)	
Notice of Allowability	10/630,680	SUDA, YASUO	
	Examiner	Art Unit	
	Igwe U. Anya	2825	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is and MPEP 1308.	in this application. If not included nunication will be mailed in due cours	
2. ☑ The allowed claim(s) is/are <u>3,5-9 and 11-13</u> .			
3. ☑ The drawings filed on <u>31 July 2003</u> are accepted by the Ex	caminer.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Applicati	on No. <u>10/099,960</u> .	om the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fil SENT of this application.	e a reply complying with the requiren	nents
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			E OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to perfect the page of the pag	son's Patent Drawing Revie s Amendment / Comment on .84(c)) should be written on the header according to 37 C sit of BIOLOGICAL MAT	or in the Office action of the drawings in the front (not the back) FR 1.121(d). 'ERIAL must be submitted. Note the	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BI	OLOGICAL MATERIAL.	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	E □ Nation of I	oformal Datant Application (DTO 450	.
2. ☐ Notice of References Cited (F10-692) 2. ☐ Notice of Draftperson's Patent Drawing Review (PT0-948)		nformal Patent Application (PTO-152 Summary (PTO-413),	,
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No	./Mail Date	
Paper No./Mail Date 10/6/04	, –	s Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Riclogical Material		s Statement of Reasons for Allowance	е
of Biological Material	9.	_ ·	
· · · · · · · · · · · · · · · · · · ·			

1. The following is an examiner's statement of reasons for allowance: Applicant's claims 3, 5, 6 - 9, 11 - 13 are allowable, because prior art does not teach inter alia:

(claim 3) cutting a first substrate at a position where a spacer is disposed under the first substrate, wherein the spacer bonds the first substrate and a second substrate and the spacer disposed inwards of electrode pads on the second substrate;

(claim 6) bonding an opposing substrate to a semiconductor substrate with a size of the opposing substrate adjusted according to a warp of the semiconductor substrate.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Remarks

3. The examiner has reviewed prior art in light of applicant's comments and amendment and finds it persuasive as to reading of prior art. Prior art made of record and not relied upon considered pertinent to applicant's disclosure include Stark (US Patent 6627814).

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Igwe U. Anya whose telephone number is (571) 272-1887. The examiner can normally be reached on M - F 8:30am - 5:00pm.

Application/Control Number: 10/630,680

Art Unit: 2825

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Igwe U. Anya Examiner Art Unit 2825

IA

December 15, 2004

MATTHEW SMITH SUPERVISORY PATENT EXAMINER **TECHNOLOGY CENTER 2800**

Page 3